

Rittal – The System.

Faster – better – everywhere.

Conductor connection clamps – SV 3451.500

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Conductor connection clamps – SV 3451.500

created : 18.03.2014 on www.rittal.com/com-en



Product description

Material:

- Sheet steel

Surface finish:

- Zinc-plated, passivated

Note:

- Wire end ferrules should be used with fine wire conductors.

Packs of:

- 15 pc(s).

EAN:

- 4028177042681

Customs tariff number:

- 85369010

Product features

To fit busbars:

- Type: Flat copper busbars
- Cross-section (thickness): 5 mm

Clamping area for laminated copper bars:


- Width: 8 mm
- Height: 8 mm

Clamping area for round conductor cross-sections:

- 2.5 mm² - 16 mm²
- fine wire with wire end ferrule: 2.5 mm² - 16 mm²
- Solid: 2.5 mm² - 16 mm²


Approvals

Approvals:

-  [Germanischer Lloyd \(EN\)](#)

Downloads

Data sheets:

-  [Technical details \(EN\)](#)

CAD drawings:

- Request

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP